



1x10m Mass Loaded Vinyl Sound Barrier Customized With 1.2mm Thickness

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: MQ
- Minimum Order Quantity: 100 square meters
- Price: \$2.99 - \$9.99/square meters
- Packaging Details: Polypropylene(PP) Knitted Bag + Pallet
- Delivery Time: 5-8 work days
- Payment Terms: T/T
- Supply Ability: 5000 Square Meter/Square Meters per Month




Product Specification

- Product Name: Mass Loaded Vinyl
- Specification: 1x5m, 1x10m
- Thickness: 1.2/2/3/4/5mm
- Warranty: 5 Years
- After-sale Service: Online Technical Support, Return And Replacement
- Project Solution Capability: Total Solution For Projects, Others
- Application: Sports Venues
- Design Style: Modern
- Free Sample: Available
- Weight: 2kg/M2
- Transport Package: Polypropylene(PP) Knitted Bag + Pallet
- HS Code: 401699909
- Trademark: MQ Acoustics
- Highlight: Customized Mass Loaded Vinyl Sound Barrier, 1.2mm Mass Loaded Vinyl Sound Barrier



More Images



Product Description

Products Description

The 1x10m Mass Loaded Vinyl (MLV) Sound Barrier is a high-performance acoustic material designed for spaces requiring effective noise control. Made from premium Mass Loaded Vinyl (MLV) with a thickness of 1.2mm, this sound barrier offers exceptional noise-blocking capabilities and flexibility, making it suitable for a wide range of applications. Whether for home theaters, recording studios, offices, or industrial environments, this product effectively reduces noise, creating a quiet and comfortable space.

Features:

Superior Soundproofing Performance

The Mass Loaded Vinyl Sound Barrier is highly effective at blocking airborne noise, such as conversations, traffic noise, and machinery sounds. With a thickness of 1.2mm, it provides excellent sound insulation while remaining lightweight and easy to handle.

High-Density Material, Thin yet Durable

Constructed from high-quality Mass Loaded Vinyl, this barrier is dense yet lightweight, with a thickness of only 1.2mm. It is easy to cut, fold, and install, and its durability ensures long-lasting soundproofing performance.

Eco-Friendly and Safe

The product meets environmental standards and is free from harmful substances such as lead and asbestos. It is safe for use in homes, offices, and commercial spaces.

Versatile and Easy to Install


The barrier can be customized to fit any size and is suitable for walls, ceilings, floors, and more. Installation is straightforward—it can be directly adhered or combined with other building materials.

Wide Range of Applications

Ideal for home theaters, recording studios, conference rooms, offices, hotels, and industrial facilities, this sound barrier is a versatile solution for noise control.


Details Images


MATERIAL	PVC+Metal Powder
PATTERN	Black on face, and white on back
FEATURES	Effective and durable noise absorber and block
APPLICATIONS	Construction site, machinery and work area enclosures
THICKNESS	2mm, 3mm
SIZE	1000*5000mm
COLOR	Black on face, and white on back
Sound Insulation	27dB
INSTALLATION	Fix on wall and ceiling with nail or screw, each roll should overlap at least 2cm to ensure no gap between them.




Heavier 2lbs MLV,
High sound insulation
STC 34 (Not STC 26)


Safe to use

 **NO
SMELL**

 **Ba
BARIUM
FREE**

Easy to install

 **Easy to cut with
standard utility knife**

 **Flexible**







Flexible, **Easy to install**
even in small space



Easy to cut with
standard utility knife



Heavier 2lbs MLV, **High sound**
insulation STC 34 (Not STC 26)



No smell



Barium free



1-year warranty







Wall




Ceiling



Floor



Shared fence line





FAQ

1. Why choose us?

Over 10 years' Professional manufacturing experiences on rubber and plastic products.

Low MOQ to start small business. It is appreciated to grow up with you for a long time cooperation.

Best factory price with relative quality.

Free sample to check products quality.

Meet buyer's different standards for different uses.

On-time delivery.

2. What is MOQ?

It depends on different products. Pls contact us for specific quantity.

3. Do you accept OEM/ODM ?

Yes, we can do OEM and ODM with your brands

4. What's your leading time?

For normal samples, it will be sent within 24hours. For customized samples, it usually 3 to 7days.

For normal orders, the production time is about 5 to 25days for a 20ft container.

Pls contact our sales representatives for details.

5. How to get a sample?

Small samples can be provide for free, you only need to cover freight cost, the freight can be deduct from the payment of formal

order.

For customized samples, pls contact us for sample cost.

For more information, please feel free to contact us.



Guangzhou Mq Acoustic Materials Co., Ltd



18022418653



sales002@mq-acoustics.com



acousticpanelwalls.com

KeZhu Business Building, ZhuJi Road, TianHe District, GuangZhou, China