



Square Edge Portable Temporary Fencing The Ideal Noise Barrier for Construction Sites

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: MQ Acoustics
- Certification: ASTM
- Model Number: Noise Barrier
- Minimum Order Quantity: 100 square meters
- Price: \$30.66/square meters 100-199 square meters
- Packaging Details: Bag
- Supply Ability: 5000 Square Meter/Square Meters per Month



Product Specification

- Warranty: 5 Years
- After-sale Service: Online Technical Support, Return And Replacement, Other
- Project Solution Capability: Total Solution For Projects, Others
- Application: Outdoor, Large Area Such As Gymnasium
- Design Style: Modern
- Type: Noise Barrier
- Model NO.: Noise Barrier
- Edge: Square
- Color: Customized
- Core Material: Polyester Wool, Mass Load Vinyl
- Stc: 17-27dB
- Thickness: 2-5cm
- Trademark: MQ Acoustics
- HS Code: 940690009



More Images



Product Description

Details Images

MQ Acoustics@ Noise Barrier F01

Acoustic barrier adopts a flexible design and can be hung on the steel frame and wall through hardware accessories, effectively increasing the sound insulation performance. The sound barrier is composited with materials with different acoustic characteristics such as waterproof B1 flame-retardant high-quality PVC, sound-absorbing cotton, and sound insulation felt, so as to achieve a higher comprehensive sound insulation structure. The laboratory measured air sound insulation $R_w=26\text{dB}$.



SPECIFICATIONS




Model No.	NB-F01
Finish Materials	PVC Tarpaulin & Fabric
Inner Materials	Acoustic cotton & Sound insulation felt
Size	2400*1000mm (customization is available)
Standard Thickness	15-18 mm
Color	Green, Grey, Black, Blue
Weight	2.5-7kgs/m ²
Fabric Design	Rhombus, Vertical Line, Square
Sound Block STC	17-26dB
Sound Absorption NRC	0.55-0.8
Customization	Size, Color, Thickness, Logo

PRODUCT DETAILS



MQ Acoustics


MAGIC CUBE
ACOUSTIC MATERIALS





FEATURES

Portable acoustic barrier is designed with high-adhesive velcro around it and the joints are seamlessly connected, effectively blocking noise, dust and light pollution. The use of sound barriers with steel frames is suitable for large-area paving, and is generally used in temporary buildings or high-noise places where frequent disassembly and assembly are required.



MQ Acoustics

MQ Acoustics@ Noise Barrier T50


Noise barrier adopts a flexible design and can be hung on the steel frame and wall through hardware accessories, effectively increasing the sound insulation performance. The sound barrier is composited with materials with different acoustic characteristics such as waterproof B1 flame-retardant high-quality PVC, sound-absorbing cotton, and sound insulation felt, so as to achieve a higher comprehensive sound insulation structure.



SPECIFICATIONS




Model No.	NB-T50
Finish Materials	PVC tarpaulin, PVC coated mesh,




Finish Materials	non-woven fabric.
Inner Materials	acoustic cotton, sound insulation felt
Standard Size	2400*1000mm (customization is available)
Standard Thickness	50 mm
Color	Green, Grey, Black, Blue
Weight	4.5-8kgs/m ²
Sound Block STC	24-27 dB
Sound Absorption NRC	0.8
Features	water-pooof, fire-proof, UV resistance
Customization	size, color, thickness, logo


●● Soundproof Performance



●● Sound Absorption Performance



MQ Acoustics



INSTALLATION GUIDE TEMPORARY FENCING

- Ensure Temporary fencing has been installed correctly and has the adequate amount of counter weights supports to withstand current wind speed.

- Hang the noise barrier from the top rail using 4x zip ties (correct ties specified above). Ensure the barrier mesh face is facing the sound source for maximum absorption.
- Zip tie (2x) the bottom of the barrier to the bottom rail of the temporary fence.
- Install the second barrier using the velcro system, simply overlap the barrier velcro system and press firmly to lock and hold the panel.
- Install 4x zip ties top and 2x zip ties bottom. Continue the same process until all barriers are installed.

APPLICATIONS



MQ Acoustics


About Us




Magic Cube (MQ) Acoustics is a professional acoustic solution provider, integrating acoustic material manufacturing, architectural acoustical environment construction and industrial noise control. We are committed to the combination of Acoustics & Aesthetic, to offering our clients the best acoustic solution with high quality acoustic material.



In order to meet the higher needs of customers, we has introduced advanced production equipment which has fully guaranteed product quality and technology. After 5 years of rapid development, we has an annual output of more than 500,000 square meters of





FAQ

1. Can I get free samples and how long does it take to produce samples?

If the samples you need are in our stock, they will be provided to you free of charge. Customized samples usually take about a week to produce.

2. Do you accept OEM or ODM order?

Yes, as a manufacturer, we can produce acoustic materials based on your samples or drawings. Please do not hesitate to contact us.

3. How to get an accurate quotation?

Can provide us with detailed product information, such as pattern, core material, surface, etc. If you have CAD or other drawings, don't hesitate to send it to us.

4. Payment terms

T/T 30% deposit before production, 70% balanced payment before delivery.

For more information, please feel free to contact us.

Title goes here.

Semi-Automatic PET Bottle Blowing Machine Bottle Making Machine Bottle Moulding Machine PET Bottle Making Machine is suitable for producing PET plastic containers and bottles in all shapes.



Guangzhou Mq Acoustic Materials Co., Ltd



18022418653



sales002@mq-acoustics.com



acousticpanelwalls.com

KeZhu Business Building, ZhuJi Road, TianHe District, GuangZhou, China