



## Lightweight Wood Wool Board Ceiling For Office Building Soundproofing

### Our Product Introduction

#### Basic Information

- Place of Origin: GUA
- Brand Name: MQ
- Minimum Order Quantity: 100 square meters
- Price: \$17.99/square meters 100-499 square meters
- Packaging Details: Pallet
- Supply Ability: 5000 Square Meter/Square Meters per Month



#### Product Specification

- Warranty: 5 Years
- After-sale Service: Online Technical Support, Other
- Project Solution Capability: Graphic Design, 3D Model Design, Total Solution For Projects, Cross Categories Consolidation, Others
- Application: Office Building
- Design Style: Industrial
- Thickness: 15/20/25/35mm
- Fireproof: B1
- Product Name: Soundproofing Sound Insulation Board Wood Wool
- Size: 2440mm\*1220mm
- Install: Nail, Wood Keel
- Feature: Eco-friendly
- Color: Original, Red,yellow, Blue,customized
- Material: Natural Wood Wool+cement



#### More Images



## Product Description


### Product Description

wood wool acoustic panel is environment-friendly, recyclable material made of wood wool, cement and water with high temperature and pressure. The natural components together provide decorative effect and very good sound absorption.

Wood wool acoustic panel has good plasticity and the surface can be painted into different colors. It can also be customized and cut into a variety of shapes (such as triangles, pentagons, hexagons, etc.). It can even be cut into any shape and chamfer on site which is fully achieve the designer's creativity and ideas.

<b>Basic Material</b>	wood wool,cement	<b>Standard Size</b>	600*2400mm/1220*2440mm
<b>Thickness</b>	15/20/25/30/35mm	<b>Color</b>	White/Nature grey/Color painted
<b>Density</b>	450-630kg/m3	<b>Flame Retardant</b>	Can meet China Standard Class B1
<b>Fiber Width</b>	1.0/1.5/2.0/3.0mm	<b>Thermal conductivity</b>	0.108kcal/mxrx°C
<b>Feature</b>	Eco-friendly	<b>Shape</b>	rectangle,hexagon,triangle

**MAGIC CUBE**  
ACOUSTIC MATERIALS















# WOOD WOOL PANEL

**100% Natural Ingredients**

**NEW STYLISH CONCEPT, LIVING WITH FOREST**

Wood Wool Panel is an environmentally friendly, recyclable material made from wood wool, cement and water. The natural components together provide many functional characteristics.



Specification

---

## CAN BE CUTTED INTO DIFFERENT SIZE AND SHAPE

surface with fine wood wool texture and hemlock wood tone presents the trends of eco-chic style

■ White cement bonded ■ Grey cement bonded

thickness:  
15mm/20mm/  
25mm/30mm



width:  
1220mm/  
600mm

length:2440mm



■ 1.0mm fiber width



■ 2.0mm fiber width



■ 3mm fiber width



■ 1.0mm fiber width



■ 1.5mm fiber width



■ 3mm fiber width



# COLOUR PLAN

Natural Raw Colour or Manufacturer Colour Chart

Unlimited Creativity! Colored Diacrete wood wool cement panel series provides architects and interior designers a unique, vivid imagination in space creative work. Not only effectively solved the ignored acoustic issues , also expressed a fashionable and impressive look!



## PRODUCT FEATURES

Various colour




Ireproof and moisture proof



Impact resistance



Good sound absorption performance



## PROCESSING TECHNOLOGY

wood wool cement panels are a series of green building materials that provide in acoustic solutions, thermal insulation and wide applications for constructions.



60%  
long wood wool fiber



40%  
cement



## APPLICATION

Acoustics Ceiling





## Acoustics Wall



## Outdoor Sound Barrier



# CERTIFICATION

MAGIC CUBE Acoustics has focused on the R&D, production and sales of various sound absorption and sound insulation products. Our products have passed CE, ISO9001 & SGS certificate. MAGIC CUBE has more than a dozen patented acoustic technology products, and more than 30 domestic and international test reports.




## Company Profile

### ABOUT THE COMPANY

Magic Cube(MQ)Acoustics is a professional acoustic solution provider, integrating acoustic material manufacturing, architectural acoustical environment construction and industrial noise control. We are committed to the combination of Acoustics & Aesthetic, to offering our clients the best acoustic solution with high quality acoustic material.



The exhibition hall



In order to meet the higher needs of customers, we has introduced advanced production equipment which has fully guaranteed product quality and technology. After 5 years of rapid development, we has an annual output of more than 500,000 square meters of various acoustic materials.



## OUR FACTORY



## TEAM ACTIVITY



## EXHIBITION



## FAQ

1. Can I have a sample order for Wood Wool Acoustic Panel?

Yes, we welcome sample order to test and check quality.

2. What about the lead time?

Sample needs 3-7 days, mass production time needs 1-3 weeks for order quantity more than.

3. Do you have any MOQ limit for Wood Wool Acoustic Panel order?

Low MOQ, 100 sqm is available

4. How to get an accurate quotation?

Can provide us with detailed product information, such as pattern, core material, surface, etc. If you have CAD or other drawings, don't hesitate to send it to us.

5. Payment terms

T/T 30% deposit before production, 70% balanced payment before delivery.

For more information, please feel free to contact us.





18022418653



[sales002@mq-acoustics.com](mailto:sales002@mq-acoustics.com)



[acousticpanelwalls.com](http://acousticpanelwalls.com)

KeZhu Business Building, ZhuJi Road, TianHe District, GuangZhou, China