



Sound Absorption Cementitious Wood Fiber Panels With Wood Wool And Cement

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: MQ
- Minimum Order Quantity: 100 square meters
- Price: \$17.99/square meters 100-499 square meters
- Packaging Details: Pallet
- Delivery Time: 5-8 work days
- Payment Terms: T/T
- Supply Ability: 5000 Square Meter/Square Meters per Month



Product Specification

- Product Name: Wood Wool Acoustic Panel
- Material: Natural Wood Wool+cement
- Size: 2440mm*1220mm
- Thickness: 15/20/25/35mm
- Color: Original, Red, yellow, Blue, customized
- Warranty: 5 Years
- After-sale Service: Online Technical Support, Other
- Project Solution Capability: Graphic Design, 3D Model Design, Total Solution For Projects, Cross Categories Consolidation, Others
- Application: Office Building
- Design Style: Industrial
- Fireproof: B1
- Install: Nail, Wood Keel
- Feature: Eco-friendly
- Function: Sound Insulation



More Images



Product Description

Product Description

wood wool acoustic panel is environment-friendly, recyclable material made of wood wool, cement and water with high temperature and pressure. The natural components together provide decorative effect and very good sound absorption.

Wood wool acoustic panel has good plasticity and the surface can be painted into different colors. It can also be customized and cut into a variety of shapes (such as triangles, pentagons, hexagons, etc.). It can even be cut into any shape and chamfer on sitewhich is fully achieve the designer's creativity and ideas.

Basic Material	wood wool,cement	Standard Size	600*2400mm/1220*2440mm
Thickness	15/20/25/30/35mm	Color	White/Nature grey/Color painted
Density	450-630kg/m3	Flame Retardant	Can meet China Standard Class B1
Fiber Width	1.0/1.5/2.0/3.0mm	Thermal conductivity	0.108kcal/mxrx°C
Feature	Eco-friendly	Shape	rectangle,hexagon,triangle

Applications


Open-plan offices and coworking spaces
Meeting rooms and conference halls
Reception areas and lobbies
Cafeterias and break rooms
Educational institutions and training centers











WOOD WOOL PANEL

100% Natural Ingredients

NEW STYLISH CONCEPT, LIVING WITH FOREST

Wood Wool Panel is an environmentally friendly, recyclable material made from wood wool, cement and water. The natural components together provide many functional characteristics.



Specification

CAN BE CUTTED INTO DIFFERENT SIZE AND SHAPE

surface with fine wood wool texture and hemlock wood tone presents the trends of eco-chic style

■ White cement bonded ■ Grey cement bonded

thickness:
15mm/20mm/
25mm/30mm



width:
1220mm/
600mm

length:2440mm



■ 1.0mm fiber width



■ 2.0mm fiber width



■ 3mm fiber width



■ 1.0mm fiber width



■ 1.5mm fiber width



■ 3mm fiber width

COLOUR PLAN

Natural Raw Colour or Manufacturer Colour Chart

Unlimited Creativity! Colored Diacrete wood wool cement panel series provides architects and interior designers a unique, vivid imagination in space creative work. Not only effectively solved the ignored acoustic issues , also expressed a fashionable and impressive look!



PRODUCT FEATURES

Various colour




Ireproof and moisture proof



Impact resistance



Good sound absorption performance



PROCESSING TECHNOLOGY


wood wool cement panels are a series of green building materials that provide in acoustic solutions, thermal insulation and wide applications for constructions.



60%
long wood wool fiber



40%
cement



APPLICATION

Acoustics Ceiling



Acoustics Wall



Outdoor Sound Barrier



CERTIFICATION

MAGIC CUBE Acoustics has focused on the R&D, production and sales of various sound absorption and sound insulation products. Our products have passed CE, ISO9001 & SGS certificate. MAGIC CUBE has more than a dozen patented acoustic technology products, and more than 30 domestic and international test reports.



Company Profile

ABOUT THE COMPANY

Magic Cube(MQ)Acoustics is a professional acoustic solution provider, integrating acoustic material manufacturing, architectural acoustical environment construction and industrial noise control. We are committed to the combination of Acoustics&Aesthetic, to offering our clients the best acoustic solution with high quality acoustic material.



The exhibition hall



In order to meet the higher needs of customers, we has introduced advanced production equipment which has fully guaranteed product quality and technology. After 5 years of rapid development, we has an annual output of more than 500,000 square meters of various acoustic materials.

OUR FACTORY



TEAM ACTIVITY



EXHIBITION



FAQ

1. Can I have a sample order for Wood Wool Acoustic Panel?

Yes, we welcome sample order to test and check quality.

2. What about the lead time?

Sample needs 3-7 days, mass production time needs 1-3 weeks for order quantity more than.

3. Do you have any MOQ limit for Wood Wool Acoustic Panel order?

Low MOQ, 100 sqm is available

4. How to get an accurate quotation?

Can provide us with detailed product information, such as pattern, core material, surface, etc. If you have CAD or other drawings, don't hesitate to send it to us.

5. Payment terms

T/T 30% deposit before production, 70% balanced payment before delivery.

For more information, please feel free to contact us.



18022418653



sales002@mq-acoustics.com



acousticpanelwalls.com

KeZhu Business Building, ZhuJi Road, TianHe District, GuangZhou, China