



Customized Polyester Fiber Sound Absorbing Wood Slat Wall Panels for Bedroom

Our Product Introduction

for more products please visit us on acousticpanelwalls.com

Basic Information

- Place of Origin: GUA
- Brand Name: MQ
- Certification: CE
- Minimum Order Quantity: 100 pieces
- Price: \$21.99/pieces 100-499 pieces
- Packaging Details: Pallet and carton box
- Delivery Time: 5-8 working days
- Payment Terms: T/T
- Supply Ability: 5000 Piece/Pieces per Month





Product Specification

- Warranty: 1 Year
- After-sale Service: Online Technical Support, Other
- Project Solution Capability: 3D Model Design, Others
- Application: Apartment, Bedroom, living Room
- Design Style: Modern
- Product Name: Wood Slat Acoustic Panel
- Standard Size: 2400*600*21 Mm/ Customized
- Polyester Thickness: 9mm/12mm
- Finish: Melamine, Veneer, HPL, Coating
- Pattern: MDF 27mm, Edge To Edge 13mm / Customized
- Type: Sound Absorption Acoustic Panel
- MOQ: 50 Square Meter
- Weight: 26kg/pcs
- Port: GUANGZHOU



More Images



Product Description

Products Description

MQ Slat wood wall panels for Sound Absorption, which is highly effective Sound Absorption. Enhancing the surroundings visually and acoustically, spacious and stylish, to help you create a more soothing environment. The panels can be screwed straightly on wall / ceiling joists. It is widely used for indoors decoration. For example, wall paneling, ceiling paneling, island paneling, recessed ceiling, bathroom, living room, bedroom, TV wall, loft lobby, Gymnasium, Meeting room, multi-function hall, auditorium, Conference room, Banquet hall, etc any space in need of an aesthetic, functional upgrade.

Features

【Noticeable Sound Absorption】

These polyester fiber sound-absorbing wood slat wall panels are engineered with advanced acoustic design to effectively absorb noise in your bedroom, improving the indoor sound environment. The polyester fiber material boasts excellent sound-absorbing properties, ensuring the panels reduce sound reflection and transmission, providing you with a quiet bedroom space.

【Customized Sizes】

We offer customization services to ensure that the wall panels perfectly fit your bedroom dimensions and requirements. Whether it's the length or height of the walls, we can tailor-make the panels to match your space accurately.






【Wooden Texture】

Crafted from wood, these wall panels bring a natural and cozy ambiance to your bedroom. The wood slat design is not only aesthetically pleasing but also contributes to a sense of tranquility and comfort. Additionally, the wooden material is easy to coordinate with interior decoration styles, adding a personalized touch to your bedroom.

【Durability】

Our wall panels are made from high-quality materials, ensuring durability. The wood slats are meticulously processed to withstand daily wear and tear, maintaining the panel's excellent appearance and performance over time.

Details Images



HOT TREND AKUPANEL COLOR





[Contact us to get the most favorable price and free samples!](#)

Our acoustic slat wood panels for walls and ceilings can quickly transform any modern space. Made from veneered lamella strips placed on an acoustic felt backing, these slatted wood wall panels are built to last.

The slat wall panel is easy to install yourself, instantly enhancing your bedroom, living room, or office into a refined, modern space.

Specifications

AKUPANEL SPECIFICATION

Beautiful wood panels with the added benefit of superior sound absorption.

Each panel is faced with real wood veneer, a metal, a custom stain/paint /print, or wrapped in a solid color/wood grain pattern to complete your design.

SURFACE VENEER

- natural wood finish
- Engineer wood finish
- Melamine finish

PET FELT PANEL

- black
- Grey

MDF PANEL

- E1 mdf
- EO mdf



Modern, aesthetic looking wooden panels



Moisture and mold safe



100% sustainable



No post-cutting painting required



Absorbs reverberation and echo



Cost efficient, no need for final finish for the walls




It's faster, easier and cheaper to install, than painting a wall



100% natural wooden materials

ACOUSTICS TEST



Frequency (Hz)	100	125	200	250	500	800	1000	1250	2000	2500	3150	4000
Sound Absorption Coefficient (α)	0.20	0.17	0.29	0.40	0.84	0.99	0.92	0.72	0.72	0.72	0.80	0.78

Standard Size	2700/2400*600*21.5mm / customized
Finish	Melamine/Veneer/Painting
Material	MDF + Polyester Fiber
Pattern	MDF 27mm, Edge to edge 13mm/customized
Function	Sound absorption, Interior decoration
NRC	0.85~0.94, SGS Test for polyester panel

Installation

AKUPANEL INSTALLATION

For the siding installation, you have the following materials are required:




STEP 1

The wall should be wrung out without screws. If you want to place the siding on a wall without slats, depending on the wall (flatness), this is also possible. You can use high viscosity glue (black) to attach the wall board to the wall. To achieve the highest sound-absorbing rating, we recommend placing slats, followed by wool insulation and wallboard.


STEP 2

Make a frame out of wood. You are advised to install 60 cm long slats.




STEP 3

Then you need insulation wool, between 45 mm thick slats.



STEP 4

The wall panels are then screwed onto the slatted frame. For each wall panel, wii 15 recommends 3 screws per row.




STEP 5

If one end of the wall is shorter than the width of the siding, we recommend using a board cutter to cut the siding along the slats to the width you need.




STEP 6

If your wall is higher than 270cm, you can attach wall panels. Please note the following tips! It is highly recommended to use a circular saw to shorten the edge of the siding by about 3mm so that the edge is absolutely flat. As a result, the seam will be minimal visible when placing wall panels. When you are sawing, you need to reinforce the area where you are sawing, and you can do this by adding screws or staples above or below the area where you are sawing slats.




STEP 7

To attach panels to the ceiling, the instructions are almost identical to those for attaching to the wall. See the tips below! Because we live on Earth, the law of gravity applies here. Before attaching the panels to the ceiling, it is highly recommended to screw or staple the slats to the felt, at least 3 rows, as shown below. This prevents the panel from sinking.




Packing & Delivery



Company Profile

ABOUT US



OEM & ODM

10 years of experience	4 production lines	1,000,000 Annual Production Capacity
----------------------------------	------------------------------	------------------------------------------------

Why Choose To Join MQ

- We are the most innovative manufacturer in the industry in China.
- Our team of global professional engineers and consultants are highly qualified.
- Our company specializes in the development of sound-absorbing panel products.
- We have over 10 years of experience in the field of sound-absorbing panels.
- We have 4 production lines and can deliver products within 7 days.
- Our annual production capacity is 1,000,000 square meters

CERTIFICATION

MAGIC CUBE Acoustics has focused on the R&D, production and sales of various sound absorption and sound insulation products. Our products have passed CE, ISO9001 & SGS certificate. MAGIC CUBE has more than a dozen patented acoustic technology products, and more than 30 domestic and international test reports.



TEAM ACTIVITY



At MQ Acoustic, you can buy your natural acoustic panels at an affordable price. While quality is of great importance, price is also very important! We deliver directly from the manufacturer to the customer, which means we don't have to deal with intermediaries. We apply bulk prices to ensure that you can give your interior an eye-catching look at affordable prices.

FAQ

What do I need for installation?

For installation, you will need a drill and any appropriate fastening hardware. For example, if you're mounting into drywall (rather than studs), you'll want to purchase drywall anchors with the appropriate screws. Please note screws are not included with the panel.

Can I cut the panels?

Yes, absolutely. The panels are easy to cut using a handsaw or a circular saw. Simply measure twice and cut once!

Can I hang a TV from the panels?

We don't recommend hanging a TV directly from the panels, instead cut out a gap for the TV mount and mount it to your wall as you regularly would. From there, you can install the panels around the mount before hanging your TV from the mount.

How do I wash the panels?

The best way to wash the slats is with a well-wrung cloth or duster. If you ever want to clean the felt between the slats, simply use a vacuum.



Guangzhou Mq Acoustic Materials Co., Ltd



18022418653



sales002@mq-acoustics.com



acousticpanelwalls.com

KeZhu Business Building, ZhuJi Road, TianHe District, GuangZhou, China