

Natural Pure Cementitious 1mm Fiber Width Wood Wool Acoustic Panel

Basic Information

Place of Origin: Guangdong, China

• Brand Name: MQ

Minimum Order Quantity: 100 pieces
Packaging Details: Carton
Delivery Time: 5-8 work days

Payment Terms: T/T



Product Specification

Standard Size: 1220*2440mm
 Thickness: 15/20/25/30mm
 Fiber Width: 1.0/1.5/2.0/3.0mm

Material: Wood Fiber+portland Cement

• Project Solution Capability: Graphic Design, 3D Model Design, Total

Solution For Projects

After-sale Service: Online Technical Support, Onsite Training,

Return And Replacement

Application: Bedroom, Concert Hall / Conference Hall /

Airport

• Design Style: Modern

• Function: Sound Absorbing

• Packing: Carton

Type: Acoustic PanelsInstallation: Keel And Nail

• Flame Retardant: Can Meet China Standard Class B1



More Images







Product Description

product Type	Wood wool acoustic panel
Size	1220X2440mm
Thickness	15mm,20mm,25mm,30mm
Color	Natural white/Nature Grey/ Color Painted
Function	Waterproof, Moisture-Proof, Mould-Proof, Fireproof, Decoration Material
Application	interior and exterior wall decoration, like hotel, office; shopping mall; living room, etc
Packing	Pallet or bulk packing
Flame Retardant	Can meet China standard Class B1

Wood wool sound-absorbing board is a high-performance sound-absorbing material, which is mainly made of natural wood fiber, cement and other environmentally friendly materials through special processing. This product has excellent sound absorption, fire resistance, environmental protection and durability, and is widely used in sound absorption, noise reduction and decoration in conference rooms, recording studios, concert halls, theaters, exhibition halls and other places. The features are as follow:

Excellent sound absorption performance: Natural pure cement-based 1mm fiber width wood wool sound-absorbing board

adopts special technology to form a large number of gaps between fibers, which can effectively absorb sound waves, reduce noise, and improve indoor sound quality.

Natural and environmentally friendly: The raw materials of the product are derived from natural wood fiber and cement, do not contain any harmful substances, meet national environmental protection standards, are harmless to the human body, and use environmentally friendly processes in the production process to reduce the impact on the environment.

Fireproof performance: Natural pure cement-based 1mm fiber width wood wool sound-absorbing board uses cement as the main raw material, has excellent fireproof performance, can effectively flame retardant, and reduce the risk of fire.




COLOUR PLAN

Natural Raw Colour or Manufacturer Colour Chart

Unlimited Creativity! Colored Diacrete wood wool cement panel series provides architects and interior designers a unique, vivid imagination in space creative work. Not only effectively solved the ignored acoustic issues, also expressed a fashionable and impressive look!




PRODUCT FEATURES










PROCESSING TECHNOLOGY

wood wool cement panels are a series of green building materials that provide in acoustic solutions, thermal insulation and wide applications for constructions.



Wood from plantation

Shredding into wood wool

Wood wool & cement mood

Pressing & forming






40% cement





APPLICATION

Acoustics Ceiling



Acoustics Wall



Outdoor Sound Barrier



MAGIC CUBE Acoustics has focused on the R&D, production and sales of various sound absorption and sound insulation products. Our products have passed CE, ISO9001 & SGS certificate.MAGIC CUBE has more than a dozen patented acoustic technology products, and more than 30 domestic and international test reports.



ABOUT THE COMPANY

Magic Cube(MQ)Acoustics is a professional acous tic solution provider, integrating acoustic material manu facturing, architectural acoustical environment construction and industrial noise control. We are committed to the combination of Acoustics&Aesthetic, to offering our clients the best acoustic solution with high quality acoustic material.



The exhibition hall



In order to meet the higher needs of customers, we has introduced advanced production equip mentwhich has fully guaranteed product quality and tech-nology. After 5 years of rapid develop ment, we has an annual output of more than 500, 000 square meters of various acoustic materials.

OUR FACTORY



TEAM ACTIVITY



EXHIBITION

















FAQ

Semi-Automatic PET Bottle Blowing Machine Bottle Making Machine Bottle Moulding Machine PET Bottle Making Machine is suitable for producing PET plastic containers and bottles in all shapes. Q1. Can I have a sample order for polyester panel?

A: Yes, we welcome sample order to test and check quality.

Q2. What about the lead time?

A:Sample needs3-7 days, mass production time needs 1-3 weeks for order quantity more than

Q3. Do you have any MOQ limit for polyester panel order? A: Low MOQ, 100 sqm is available

Q4. How do you ship the goods and how long does it take to arrive? A: We usually ship by sea. It usually takes 2-4 weeks to arrive.

Q5. How to proceed an order for polyester panel?

A: Firstly let us know your requirements or application.

Secondly We quote according to your requirements or our suggestions.

Thirdly customer confirms the samples and places deposit for formal order.

Fourthly We arrange the production.

Q6: Do you offer guarantee for the products?

A: Yes, we offer 1 years warranty to our products.

18022418653

sales002@mq-acoustics.com

acousticpanelwalls.com

KeZhu Business Building, ZhuJi Road, TianHe District, GuangZhou, China