



Durable and Effective Soundproofing Polyester Fiber Acoustic Panel for Commercial Buildings

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: MQ Acoustics
- Model Number: fiber acoustic panels
- Minimum Order Quantity: 100pcs
- Price: 15.9/pc 100-200 pcs
- Packaging Details: Carton Box, Pallet
- Delivery Time: 5-8 work day
- Payment Terms: T/T




Product Specification

- Product Name: PET Panel
- Material: 100% Polyester Fiber
- Standard Size: 1220*2440mm/1200*600mm/customized
- Thickness: 9/12/24mm/customized
- Density: 1300g-3700gsm
- Color: More Than 48 Colors To Be Chosen
- Application: Office Building, Office, Meeting Room, Multi-Function Hall, Etc.
- Origin: China
- NRC: 0.80-0.85
- Transport Package: Carton Box & Pallet
- Function: Interior Decoration And Sound Absorbing
- Warranty: 5 Years
- Acoustic Type: Sound Absorbing Material
- Shape: Hexagon



More Images



Product Description

Products Description

Polyester fiber sound-absorbing board is an indoor acoustic decorative material made of polyester fiber (PET) as the main raw material. It has the characteristics of sound absorption, noise reduction, environmental protection, and fire prevention. It is widely used in construction, decoration, audio-visual rooms, offices and other places.

Product Name	Polyester Fiber Acoustic Panel
Application	Walls, Ceilings
Material	100% Polyester Fiber
Thickness	9mm / 12mm / 24mm
Color	more than 48 colors options (customizable upon request)
Size	1220*2440mm / 1200*600mm(custom sizes available)
Fire Rating	Class B
Eco-Certification	Meets E1 environmental standards, formaldehyde-free, odorless

Key Features:

Sound absorption performance

The internal porous structure can effectively absorb mid- and high-frequency sound waves (such as human voice and musical instrument sound), reduce echo and reverberation time, and improve the indoor sound field environment (NRC value is usually 0.6~0.9).

Environmental protection and safety

No harmful substances such as formaldehyde and asbestos, some products can be recycled and meet the E1 environmental protection standard.

Lightweight and durable

Low density, light weight, strong impact resistance, not easy to deform or crack.

Decorative

The surface can be treated in various ways (spraying, laminating), with rich colors and textures, and supports customized patterns or shapes.


Convenient construction

It can be directly pasted, nailed or installed through the keel system, suitable for scenes such as suspended ceilings and walls.

Details Images



Polyester Fiber Acoustic Panel



MQ ACOUSTICS

PET Acoustic Panel Color Chart



AM-01 Snow White



AM-02 Porcelain White



AM-03 Camel



AM-04 Silver Gray



AM-05 Longan Yellow



AM-06 Deep Camel



AM-07 Pure Camel



AM-08 Copper



AM-09 Lemon Yellow



AM-10 Orange



AM-11 Milk Coffee



AM-12 Tangerine



AM-13 Light Coffee



AM-14 Light Yellow



AM-15 Fruit Green



AM-16 Plum Green



AM-17 Autumn Leaves Green



AM-18 Emerald Green



AM-19 Malachite Green



AM-20 Dark Green



AM-21 Smoke Gray



AM-22 African Gray



AM-23 Moonlight Gray



AM-24 Dark Gray



AM-25 Water Gray



AM-26 Light Sky Blue



AM-27 Sky Blue



AM-28 Sea Blue



AM-29 Turquoise Green



AM-30 Tiffany Blue



AM-31 Starry Sky Blue



AM-32 Dark Blue



AM-33 Dark Brown



AM-34 Red Coffee



AM-35 Coffee



AM-36 Sesame Black



AM-37 Linen



AM-38 Beige



AM-39 Flesh Pink



AM-40 Begonia Red



AM-41 AM Blue



AM-42 Black



AM-43 Watermelon Red



AM-44 Dark Red



AM-45 Pink



AM-46 Rose



AM-47 Violet



AM-48 Matcha



AM-49 BMW Blue



AM-50 Cyan Blue



AM-51 Rust Red



AM-52 Havana Orange



AM-53 PURE RED



AM-54 Pure Blue



AM-55



AM-56



AM-57



AM-58



AM-59



AM-60

Product Features

1/ Excellent sound absorbing performance:

The NRC can be 0.85 to 0.94



2/ Easy installation

To cut by knife and easy to install by glue or nail



3/ Good physical stability

Can meet ASTM E84-2016



4/ Various of Color for Option

Can easily realize the designer's inspiration



Applications



Installation Methods

Direct Adhesion: Eco-friendly glue for flat walls/ceilings.
Suspension Hooks: Hanging panels .
Modular Snap-in: Easy assembly/disassembly for maintenance.


About Us



Magic Cube (MQ) Acoustics is a professional acoustic solution provider, integrating acoustic material manufacturing, architectural acoustical environment construction and industrial noise control. We are committed to the combination of Acoustics & Aesthetic, to offering our clients the best acoustic solution with high quality acoustic material.

In order to meet the higher needs of customers, we has introduced advanced production equipment which has fully guaranteed product quality and technology. After 5 years of rapid development, we has an annual output of more than 500,000 square meters of various acoustic materials.





FAQ

1. Can I get free samples and how long does it take to produce samples?

If the samples you need are in our stock, they will be provided to you free of charge. Customized samples usually take about a week to produce.

2. Do you accept OEM or ODM order?

Yes, as a manufacturer, we can produce acoustic materials based on your samples or drawings. Please do not hesitate to contact us.

3. How to get an accurate quotation?

Can provide us with detailed product information, such as pattern, core material, surface, etc. If you have CAD or other drawings,

don't hesitate to send it to us.

4. Payment terms

T/T 30% deposit before production, 70% balanced payment before delivery.

For more information, please feel free to contact us.



Guangzhou Mq Acoustic Materials Co., Ltd



18022418653



sales002@mq-acoustics.com



acousticpanelwalls.com

KeZhu Business Building, ZhuJi Road, TianHe District, GuangZhou, China