

Inside Polyester Acoustic Board 3d Acoustic Wall Panels For Theater

Basic Information

- Place of Origin:
- Brand Name:
- Model Number: fil
- Minimum Order Quantity:
- Price: 15.9
- Packaging Details:
- Delivery Time:
- Payment Terms:
- fiber acoustic panels 100pcs 15.9/pc 100-200 pcs Carton Box, Pallet

MQ Acoustics

Guangdong, China

- 5-8 work day
- rms: T/T



Product Specification

Product Name: PET Panel Material: 100% Polyester Fiber 1220*2440mm/1200*600mm/customized Standard Size: Thickness: 9/12/24mm/customized • Density: 1300g-3700gsm More Than 48 Colors To Be Chosen Color: Office Building, Office, Meeting Room, Multi-• Application: Function Hall, Etc. China • Origin: • NRC: 0.80-0.85 • Transport Package: Carton Box & Pallet • Function: Interior Decoration And Sound Absorbing Warranty: 5 Years Acoustic Type: Sound Absorbing Material

Hexagon



More Images

Shape:



Our Product Introduction

Products Description

Polyester fiber acoustic panels are a popular choice for sound absorption and noise control in various settings, including homes, offices, studios, and commercial spaces.

| Product Name | Polyester Fiber Acoustic Panel |
|-------------------|---|
| | , |
| Application | Walls, Ceilings |
| Material | 100% Polyester Fiber |
| Thickness | 9mm / 12mm / 24mm |
| Color | more than 48 colors options (customizable upon request) |
| Size | 1220*2440mm / 1200*600mm(custom sizes available) |
| Fire Rating | Class B |
| Eco-Certification | Meets E1 environmental standards, formaldehyde-free, odorless |

Material Composition

Made from 100% polyester fibers (often recycled PET material). Non-toxic, formaldehyde-free, and eco-friendly. Available in different densities and thicknesses for varying acoustic performance.

Sound Absorption

Effective at absorbing mid-to-high-frequency sounds (e.g., voices, echoes). Performance depends on thickness (typically 9mm–24mm) and density. NRC (Noise Reduction Coefficient) ratings usually range from 0.8 to 0.9 (higher = better absorption).

Aesthetic Options

Available in various colors, shapes, and designs. Can be customized with printed artwork or logos. Some come with decorative fabric wraps for enhanced visuals.

Lightweight & Easy to Install

Can be mounted with adhesive, screws, or clips.

Details Images





AM-05 Longan Yellow

AM-06 Deep Camel

AM-07 Pure Camel

AM-08 Copper









Product Features



Treammystel
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
100
<th



2 Easy installation To cut by knife and easy to install by glue or nail



Various of Color for Option Can easily realize the designer's inspiration





Applications



Installation Methods

Direct Adhesion: Eco-friendly glue for flat walls/ceilings. Suspension Hooks: Hanging panels . Modular Snap-in: Easy assembly/disassembly for maintenance.

About Us

Magic Cube (MQ) Acoustics is a professional acoustic solution provider, integrating acoustic material manufacturing, architectural acoustical environment construction and industrial noise control. We are committed to the combination of Acoustics & Aesthetic, to offering our clients the best acoustic solution with high quality acoustic material.

In order to meet the higher needs of customers, we has introduced advanced production equipment which has fully guaranteed product quality and technology. After 5 years of rapid development, we has an annual output of more than 500,000 square meters of various acoustic materials.























BACK TO HOME

FAQ

1. Can I get free samples and how long does it take to produce samples?

If the samples you need are in our stock, they will be provided to you free of charge. Customized samples usually take about a

week to produce.

2. Do you accept OEM or ODM order?

Yes, as a manufacturer, we can produce acoustic materials based on your samples or drawings. Please do not hesitate to contact us.

3. How to get an accurate quotation?

Can provide us with detailed product information, such as pattern, core material, surface, etc. If you have CAD or other drawings,

don't hesitate to send it to us.

4. Payment terms

T/T 30% deposit before production, 70% balanced payment before delivery.

For more information, please feel free to contact us.

