Our Product Introduction



## Fire-Rated Ceiling Polyester Fiber Acoustic Panel for Safe and Effective Sound Absorption

### **Basic Information**

• Place of Origin: China

Brand Name: MQ AcousticsCertification: CE, ASTM, ISO

Model Number: PET Acoustic Ceiling Panels

• Minimum Order Quantity: 100pcs

Packaging Details: Carton Box, PalletDelivery Time: 7-14 working day

• Payment Terms: T/T



### **Product Specification**

Material: 100% Polyester Fiber
Length: 1200mm/2400mm
Panel Height: 200mm/250mm

Thickness: 9/12/24mm/customized

Color: More Than 48 Colors To Be Chosen

Application: Office Building, Office, Meeting Room, Multi-

Function Hall, Etc.

Origin: ChinaNRC: 0.80-0.85

• Transport Package: Carton Box & Pallet

• Function: Interior Decoration And Sound Absorbing

• Warranty: 1 Year



### More Images





### **Product Description**

### **Products Description**

Product Name	Polyester Fiber Acoustic Panel
Application	Ceilings Panel
Material	100% Polyester Fiber
Thickness	9mm / 12mm / 24mm / Customized
Color	more than 48 colors options (customizable upon request)
Fire Rating	Class B
Eco-Certification	Meets E1 environmental standards, formaldehyde-free, odorless

### **Key Advantages:**

Excellent Acoustics: High NRC rating, effectively absorbs mid-to-high-frequency noise (e.g., speech, office clutter).

Eco-Friendly & Safe: Made from recycled materials; non-irritating and no itchy fibers. Moisture Resistant: Will not support mold or mildew, ideal for humid environments. Lightweight & Easy to Install: Simple drop-in for T-bar grids or glue-on application. Aesthetic Design: Available in many colors, shapes, and sizes (e.g., tiles, baffles, clouds).

### **Common Types:**

Ceiling Tiles: For standard suspended grid systems. Baffles: Vertical hanging strips for high ceilings.

Clouds: Horizontal panels suspended like "floating" elements.

#### Ideal For:

Open-Plan Offices Classrooms & Libraries Restaurants & Cafés Home Theaters & Studios Gyms & Pool Areas




# **MQ ACOUSTICS**

### **PET Acoustic Panel Color Chart**












### **Product Features**

**Excellent sound absorbing performance:** The NRC can be 0.85 to 0.94















# **Applications**

















### Installation Methods

Direct Adhesion: Eco-friendly glue for flat walls/ceilings. Suspension Hooks: Hanging panels . Modular Snap-in: Easy assembly/disassembly for maintenance.

### About Us

• • •

Magic Cube (MQ) Acoustics is a professional acoustic solution provider, integrating acoustic material manufacturing, architectural acoustical environment construction and industrial noise control. We are committed to the combination of Acoustics & Aesthetic, to offering our clients the best acoustic solution with high quality acoustic material.

In order to meet the higher needs of customers, we has introduced advanced production equipment which has fully guaranteed product quality and technology. After 5 years of rapid development, we has an annual output of more than 500,000 square meters of various acoustic materials.

























### BACK TO HOME

### FAQ

### 1. Can I get free samples and how long does it take to produce samples?

If the samples you need are in our stock, they will be provided to you free of charge. Customized samples usually take about

week to produce.

#### 2. Do you accept OEM or ODM order?

Yes, as a manufacturer, we can produce acoustic materials based on your samples or drawings. Please do not hesitate to contact us.

#### 3. How to get an accurate quotation?

Can provide us with detailed product information, such as pattern, core material, surface, etc. If you have CAD or other drawings,

don't hesitate to send it to us.

### 4. Payment terms

T/T 30% deposit before production, 70% balanced payment before delivery.

For more information, please feel free to contact us.

MAGIC CUBE Guangzhou Mq Acoustic Materials Co., Ltd



18022418653



sales002@mq-acoustics.com



@ acousticpanelwalls.com

KeZhu Business Building, ZhuJi Road, TianHe District, GuangZhou, China