



Noise Reduction and Sound Absorption PET Ceiling Acoustic Panel Polyester Fiber Acoustic Felt

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: MQ Acoustics
- Certification: CE, ASTM, ISO
- Model Number: PET Acoustic Ceiling Panels
- Minimum Order Quantity: 100pcs
- Packaging Details: Carton Box, Pallet
- Delivery Time: 7-14 working day
- Payment Terms: T/T




Product Specification

- Material: 100% Polyester Fiber
- Length: 1200mm/2400mm/customized
- Panel Height: 200mm/250mm/customized
- Thickness: 9/12/15/24mm/customized
- Color: More Than 48 Colors To Be Chosen
- Application: Office Building, Office, Meeting Room, Multi-Function Hall, Etc.
- Origin: China
- NRC: 0.80-0.85
- Transport Package: Carton Box & Pallet
- Function: Interior Decoration And Sound Absorbing
- Warranty: 1 Year



More Images



Product Description

Products Description

Our PET Ceiling Acoustic Panels are engineered to transform noisy environments into productive and comfortable spaces. Crafted from 100% recycled polyethylene terephthalate (PET) felt, these panels offer exceptional sound absorption and noise reduction, effectively controlling echo and reverberation.

They are the ideal, eco-conscious solution for modern offices, educational institutions, restaurants, and any interior where superior acoustics and sustainable design are paramount. Experience a quieter, more focused atmosphere with our high-performance, durable, and aesthetically pleasing ceiling solutions.

Product Name	Polyester Fiber Acoustic Panel
Application	Ceilings Panel
Material	100% Polyester Fiber
Thickness	9mm / 12mm / 24mm / Customized
Color	more than 48 colors options (customizable upon request)
Fire Rating	Class B
Eco-Certification	Meets E1 environmental standards, formaldehyde-free, odorless

Key Features & Benefits:

Superior Sound Absorption: Effectively absorbs mid-to-high-frequency sounds, drastically reducing echo, reverberation, and background noise. (NRC ratings typically up to 0.85-1.00).

Excellent Noise Reduction Coefficient (NRC): Significantly improves speech clarity and overall acoustic comfort.


Class B Fire Rating: Meets stringent fire safety standards for peace of mind in commercial applications.

Durable & Moisture Resistant: PET felt is inherently resistant to moisture, mold, and mildew, ensuring long-term performance and stability.

Modern Aesthetics: Available in a wide range of colors and custom sizes to complement any interior design scheme.



Polyester Fiber Acoustic Panel



MQ ACOUSTICS

PET Acoustic Panel Color Chart



AM-01 Snow White



AM-02 Porcelain White



AM-03 Camel



AM-04 Silver Gray



AM-05 Longan Yellow



AM-06 Deep Camel



AM-07 Pure Camel



AM-08 Copper



AM-09 Lemon Yellow



AM-10 Orange



AM-11 Milk Coffee



AM-12 Tangerine



AM-13 Light Coffee




AM-14 Light Yellow



AM-15 Fruit Green




AM-16 Plum Green



AM-17 Autumn Leaves Green




AM-18 Emerald Green




AM-19 Malachite Green



AM-20 Dark Green



AM-21 Smoke Gray



AM-22 African Gray



AM-23 Moonlight Gray



AM-24 Dark Gray



AM-25 Water Gray



AM-26 Light Sky Blue



AM-27 Sky Blue



AM-28 Sea Blue



AM-29 Turquoise Green



AM-30 Tiffany Blue



AM-31 Starry Sky Blue



AM-32 Dark Blue



AM-33 Dark Brown



AM-34 Red Coffee



AM-35 Coffee



AM-36 Sesame Black



AM-37 Linen



AM-38 Beige



AM-39 Flesh Pink



AM-40 Begonia Red



AM-41 AM Blue



AM-42 Black



AM-43 Watermelon Red



AM-44 Dark Red



AM-45 Pink



AM-46 Rose



AM-47 Violet




AM-48 Matcha



AM-49 BMW Blue



AM-50 Cyan Blue



AM-51 Rust Red



AM-52 Havana Orange



AM-53 PURE RED



AM-54 Pure Blue



AM-55




AM-56

Product Features

1/ Excellent sound absorbing performance:

The NRC can be 0.85 to 0.94



2/ Easy installation

To cut by knife and easy to install by glue or nail



3/ Good physical stability

Can meet ASTM E84-2016




4/ Various of Color for Option

Can easily realize the designer's inspiration



Applications



Installation Methods

Direct Adhesion: Eco-friendly glue for flat walls/ceilings.
Suspension Hooks: Hanging panels .
Modular Snap-in: Easy assembly/disassembly for maintenance.

About Us



Magic Cube (MQ) Acoustics is a professional acoustic solution provider, integrating acoustic material manufacturing, architectural acoustical environment construction and industrial noise control. We are committed to the combination of Acoustics & Aesthetic, to offering our clients the best acoustic solution with high quality acoustic material.

In order to meet the higher needs of customers, we has introduced advanced production equipment which has fully guaranteed product quality and technology. After 5 years of rapid development, we has an annual output of more than 500,000 square meters of various acoustic materials.





FAQ

1. Can I get free samples and how long does it take to produce samples?

If the samples you need are in our stock, they will be provided to you free of charge. Customized samples usually take about a week to produce.

2. Do you accept OEM or ODM order?

Yes, as a manufacturer, we can produce acoustic materials based on your samples or drawings. Please do not hesitate to contact us.

3. How to get an accurate quotation?

Can provide us with detailed product information, such as pattern, core material, surface, etc. If you have CAD or other drawings,

don't hesitate to send it to us.

4. Payment terms

T/T 30% deposit before production, 70% balanced payment before delivery.

For more information, please feel free to contact us.



Guangzhou Mq Acoustic Materials Co., Ltd



18022418653



sales002@mq-acoustics.com



acousticpanelwalls.com

KeZhu Business Building, Zhuji Road, TianHe District, GuangZhou, China